

VISCOTECH

Overview:

- ### Technical Data:

ca. 399 x 149 mm / 1600g

[illegible]

FKT-01

FKT-02 membrane keyboard

Desktop




Abbildung US-Layout

Overview:

- membrane-covered keyboard
- Desktop-version with rear VESA-mounting
- polycarbonate case
- 108 keys, function keys and numeric keypad, clean key
- capacitive touchpad
- PS/2 or USB
- membrane colour black

Technical Data:

Mounting

desktop-version with rear VESA- mounting

Interface:

PS/2 or USB

Keys / Material:

108 keys, lifespan: > 1 Mio operations

key travel: ~ 0,45mm (3,5N)

Touchpad, MS-Maus compatible,

Environmental conditions:

operating: -10 - +60°C, storage: -20 -+70°C


protection level (front):

IP65

dimensions:

ca. 399 x 149 mm / 1500g

drawing:



part number:

FKT-02

FKT-03 membrane keyboard

Desktop




Abbildung US-Layout

Overview:

- membrane-covered keyboard
- Desktop-version with rear VESA-mounting
- polycarbonate case
- 106 keys, function keys and numeric keypad, clean key
- PS/2 or USB
- membrane colour black or white

Technical Data:

Mounting

desktop-version with rear VESA- mounting

Interface:

PS/2 or USB

Keys / Material:

108 keys, lifespan: > 1 Mio operations

key travel: ~ 0,45mm (3,5N)

Environmental conditions:

operating: -10 - +60°C, storage: -20 -+70°C


protection level (front):

IP65

dimensions:

ca. 399 x 149 mm / 1400g

drawing:



part number:

FKT-03

FKT-04 membrane keyboard

Desktop



layout example

Overview:

- membrane-covered keyboard
- Desktop-version
- polycarbonate case
- 108 keys, function keys and numeric keypad, clean key
- capacitive touchpad
- PS/2 or USB
- membrane colour black or white

Technical Data:

Mounting

desktop-version

Interface:

PS/2 or USB

Keys / Material:

108 keys, lifespan: > 1 Mio operations

key travel: ~ 0,45mm (3,5N)

touchpad, MS-mouse compatible

Environmental conditions:

operating: -10 - +60°C, storage: -20 - +70°C


protection level (front):

IP65

dimensions:

ca. 399 x 149 x 19mm / 1500g

drawing:




part number:

FKT-04

FKT-05 membrane keyboard

Desktop



layout example

Overview:

- membrane-covered keyboard
- Desktop-version
- polycarbonate case
- 107 keys, function keys and numeric keypad, clean key
- PS/2 or USB
- membrane colour black or white

Technical Data:

Mounting

desktop-version

Interface:

PS/2 or USB

Keys / Material:

107 keys, lifespan: > 1 Mio operations

key travel: ~ 0,45mm (3,5N)

Environmental conditions:

operating: -10 - +60°C, storage: -20 -+70°C


protection level (front):

IP65

dimensions:

ca. 399 x 149 x 19mm / 1500g

drawing:



part number:

FKT-05

FKT-06 membrane keyboard

Desktop



layout example

Overview:

- membrane-covered keyboard
- Desktop-version
- stainless-steel case
- 81 keys, function keys and clean key
- capacitive touchpad
- PS/2 or USB
- membrane colour black or white

Technical Data:

Mounting

desktop-version

Interface:

PS/2 or USB

Keys / Material:

81 keys, lifespan: > 1 Mio operations

key travel: ~ 0,45mm (3,5N)

touchpad, MS-mouse compatible

Environmental conditions:

operating: -10 - +60°C, storage: -20 -+70°C


protection level (front):

IP65

dimensions:

ca. 368 x 150 x 20mm / 1800g

drawing:




part number:

FKT-06

FKT-07 membrane keyboard

Desktop



US layout

Overview:

- membrane-covered keyboard
- Desktop-version
- stainless-steel case
- 77 keys, function keys and clean key
- PS/2 or USB
- membrane colour black or white

Technical Data:

Mounting

desktop-version

Interface:

PS/2 or USB

Keys / Material:

77 keys, lifespan: > 1 Mio operations

key travel: ~ 0,45mm (3,5N)

Environmental conditions:

operating: -10 - +60°C, storage: -20 -+70°C


protection level (front):

IP65

dimensions:

ca. 300 x 145 x 26mm / 1800g

drawing:




part number:

FKT-07

FKT-08 membrane keyboard

Desktop



US layout

Overview:

- membrane-covered keyboard
- Desktop-version with rear VESA-mounting
- polycarbonate case
- 109 keys, function keys, numeric keypad and clean key
- optical trackball 16mm (800dpi)
- PS/2 or USB
- membrane colour black

Technical Data:

Mounting

desktop-version with rear VESA-mounting

Interface:

PS/2 or USB

Keys / Material:

109 Omron-keys, lifespan: > 1 Mio operations

key travel: ~ 0,45mm (2N)

trackball, MS-mouse compatible, stainless-steel

Environmental conditions:

operating: -10 - +60°C, storage: -20 - +70°C


protection level (front):

IP65

dimensions:

ca. 399 x 149mm / 1600g

drawing:




part number:

FKT-08

FKT-09 membrane keyboard

Desktop



US layout

Overview:

- membrane-covered keyboard
- Desktop-version with rear VESA-mounting
- polycarbonate case
- 108 keys, function keys, numeric keypad and clean key
- capacitive touchpad
- PS/2 or USB
- membrane colour black

Technical Data:

Mounting

desktop-version with rear VESA-mounting

Interface:

PS/2 or USB

Keys / Material:

108 Omron-keys, lifespan: > 1 Mio operations

key travel: ~ 0,45mm (2N)

touchpad, MS-mouse compatible

Environmental conditions:

operating: -10 - +60°C, storage: -20 - +70°C


protection level (front):

IP65

dimensions:

ca. 399 x 149mm / 1800g

drawing:



part number:

FKT-09