


FKM-02 membrane keyboard frontpanel



US layout

Overview:

- membrane-covered keyboard
- modul with threaded bolts for panel mounting
- 108 keys, function keys, numeric keypad and clean key
- capacitive touchpad
- PS/2 or USB
- membrane colour black, white or grey

Technical Data:

Mounting

frontside, mounting via rear threaded bolts

Interface:

PS/2 or USB

Keys / Material:

108 keys, lifespan: > 1 Mio operations

key travel: ~ 0,45mm (3,5N)

touchpad, MS-mouse compatible

Environmental conditions:

operating: -10 - +60°C, storage: -20 - +70°C


protection level (front):

IP65

dimensions:

ca. 410 x 160mm / 1300g


drawing:



part number:

FKM-02

FKM-05 membrane keyboard frontpanel



US layout

Overview:

- membrane-covered keyboard
- modul with threaded bolts for panel mounting
- 81 keys, function keys and clean key
- capacitive touchpad
- PS/2 or USB
- membrane colour black or white

Technical Data:

Mounting

frontside, mounting via rear threaded bolts

Interface:

PS/2 or USB

Keys / Material:

81 keys, lifespan: > 1 Mio operations

key travel: ~ 0,45mm (3,5N)

touchpad, MS-mouse compatible

Environmental conditions:

operating: -10 - +60°C, storage: -20 - +70°C


protection level (front):

IP65

dimensions:

ca. 343 x 125mm / 1300g


drawing:



part number:

FKM-05

FKM-09 membrane keyboard frontpanel



US layout

Overview:

- membrane-covered keyboard
- module with threaded bolts for panel mounting
- 105 keys, function keys, numeric keypad and clean key
- capacitive touchpad
- PS/2 or USB
- membrane colour black, white or grey

Technical Data:

Mounting

frontside, mounting via rear threaded bolts

Interface:

PS/2 or USB

Keys / Material:

105 Omron-keys, lifespan: > 1 Mio operations

key travel: ~ 0,45mm (2N)

touchpad, MS-mouse compatible

Environmental conditions:

operating: -10 - +60°C, storage: -20 - +70°C


protection level (front):

IP65

dimensions:

ca. 410 x 160mm / 1500g



drawing:



part number:

FKM-09

FKM-11 membrane keyboard frontpanel



US layout

Overview:

- membrane-covered keyboard
- module with threaded bolts for panel mounting
- 107 keys, function keys, numeric keypad and clean key
- capacitive touchpad
- PS/2 or USB
- membrane colour black or white

Technical Data:

Mounting

frontside, mounting via rear threaded bolts

Interface:

PS/2 or USB

Keys / Material:

107 keys, lifespan: > 1 Mio operations

key travel: ~ 0,45mm (3,5N)

touchpad, MS-mouse compatible

Environmental conditions:

operating: -10 - +60°C, storage: -20 - +70°C


protection level (front):

IP65

dimensions:

ca. 321 x 139mm / 1400g


drawing:



part number:

FKM-11

FKM-17 membrane keyboard frontpanel



US layout

Overview:

- membrane-covered keyboard
- module with threaded bolts for panel mounting
- 108 keys, function keys, numeric keypad and clean key
- capacitive touchpad
- PS/2 or USB
- membrane colour black or white

Technical Data:

Mounting

frontside, mounting via rear threaded bolts

Interface:

PS/2 or USB

Keys / Material:

108 keys, lifespan: > 1 Mio operations

key travel: ~ 0,45mm (3,5N)

touchpad, MS-mouse compatible

Environmental conditions:

operating: -10 - +60°C, storage: -20 - +70°C


protection level (front):

IP65

dimensions:

ca. 399 x 150mm / 1400g

drawing:



part number:

FKM-17

KBB-10 membrane keyboard backpanel



German layout

Overview:

- membrane-covered keyboard
- module with holes for backside mounting (backpanel-mounting)
- 83 keys, numeric keypad
- capacitive touchpad
- PS/2 or USB
- membrane colour white

Technical Data:

Mounting

backside, mounting via holes

Interface:

PS/2 or USB

Keys / Material:

83 keys, lifespan: > 1 Mio operations

key travel: ~ 0,45mm (3,5N)

touchpad, MS-mouse compatible

Environmental conditions:

operating: -10 - +60°C, storage: -20 - +70°C


protection level (front):

IP65

dimensions:

ca. 392 x 110mm / 1500g

drawing:



part number:

10020272 KBB-10 German layout, USB