


# FKM-01 membrane keyboard frontpanel



US layout

## Overview:

- membrane-covered keyboard
- modul with threaded bolts for panel mounting
- 107 keys, function keys, numeric keypad and clean key
- PS/2 or USB
- membrane colour black or white

## Technical Data:

### **Mounting**

frontside, mounting via rear threaded bolts

### **Interface:**

PS/2 or USB

### **Keys / Material:**

107 keys, lifespan: > 1 Mio operations

key travel: ~ 0,45mm (3,5N)

### **Environmental conditions:**

operating: -10 - +60°C, storage: -20 -+70°C


### **protection level (front):**

IP65

### **dimensions:**

ca. 410 x 160mm / 1200g


## drawing:



## part number:

FKM-01

# FKM-06 membrane keyboard frontpanel



US layout

## Overview:

- membrane-covered keyboard
- module with threaded bolts for panel mounting
- 47 keys
- PS/2 or USB
- membrane colour black or white

## Technical Data:

### **Mounting**

frontside, mounting via rear threaded bolts

### **Interface:**

PS/2 or USB

### **Keys / Material:**

47 keys, lifespan: > 1 Mio operations  
key travel: ~ 0,45mm (3,5N)

### **Environmental conditions:**

operating: -10 - +60°C, storage: -20 -+70°C


### **protection level (front):**

IP65

### **dimensions:**

ca. 224 x 110mm / 1000g

## drawing:



## part number:

FKM-06

# FKM-07 membrane keyboard frontpanel



US layout

## Overview:

- membrane-covered keyboard
- module with threaded bolts for panel mounting
- 78 keys, function keys and clean key
- PS/2 or USB
- membrane colour black or white

## Technical Data:

### **Mounting**

frontside, mounting via rear threaded bolts

### **Interface:**

PS/2 or USB

### **Keys / Material:**

78 keys, lifespan: > 1 Mio operations

key travel: ~ 0,45mm (3,5N)

### **Environmental conditions:**

operating: -10 - +60°C, storage: -20 -+70°C


### **protection level (front):**

IP65

### **dimensions:**

ca. 272 x 125mm / 1200g


## drawing:



## part number:

FKM-07

# FKM-12 membrane keyboard frontpanel



US layout

## Overview:

- membrane-covered keyboard
- module with threaded bolts for panel mounting
- 107 keys, function keys, numeric keypad and clean key
- PS/2 or USB
- membrane colour black or white

## Technical Data:

### **Mounting**

frontside, mounting via rear threaded bolts

### **Interface:**

PS/2 or USB

### **Keys / Material:**

107 keys, lifespan: > 1 Mio operations

key travel: ~ 0,45mm (3,5N)

### **Environmental conditions:**

operating: -10 - +60°C, storage: -20 -+70°C


### **protection level (front):**

IP65

### **dimensions:**

ca. 321 x 139mm / 1300g


## drawing:



## part number:

FKM-12

# FKM-13 membrane keyboard frontpanel



US layout

## Overview:

- membrane-covered keyboard
- module with threaded bolts for panel mounting
- 103 keys, function keys, numeric keypad and clean key
- PS/2 or USB
- membrane colour black or white

## Technical Data:

### **Mounting**

frontside, mounting via rear threaded bolts

### **Interface:**

PS/2 or USB

### **Keys / Material:**

103 Omron-keys, lifespan: > 1 Mio operations  
key travel: ~ 0,45mm (2N)

### **Environmental conditions:**

operating: -10 - +60°C, storage: -20 -+70°C


### **protection level (front):**

IP65

### **dimensions:**

ca. 349 x 152mm / 1200g


## drawing:



## part number:

FKM-13

# FKM-14 membrane keyboard frontpanel



US layout

## Overview:

- membrane-covered keyboard
- module with threaded bolts for panel mounting
- 78 keys, function keys and clean key
- PS/2 or USB
- membrane colour black or white

## Technical Data:

### **Mounting**

frontside, mounting via rear threaded bolts

### **Interface:**

PS/2 or USB

### **Keys / Material:**

78 keys, lifespan: > 1 Mio operations

key travel: ~ 0,45mm (3,5N)

### **Environmental conditions:**

operating: -10 - +60°C, storage: -20 -+70°C


### **protection level (front):**

IP65

### **dimensions:**

ca. 200 x 105mm / 1100g

## drawing:



## part number:

FKM-14



**VISCOTECH**

