

Stainless steel keyboard EKM-05



German Layout

Overview:

- vandal-proof stainless steel keyboard with touchpad (IK07)
- modul with backside threaded bolts for panel mounting
- 99 Keys incl. function keys and numeric keypad
- Touchpad 62,5 x 46,5mm
- PS/2 or USB
- div. layouts available

Technical data:

Mounting:

front side via backside threaded bolts

Interfaces:

PS/2 or USB

Keys / Touchpad:

99 Keys > Switch life: more than 3 Mio. Stainless steel laser engraved, Key travel: 2mm (Long travel), Touchpad, MS-Mouse compatible

Environmental

Operating: -10 - +60°C, Storage: -20 - +70°C


Protection level:

IP65

Dimensions:

ca. 420 x 145 x 34mm / 2100g

Drawing:



Part number:

10020332	EKM-05 PS/2 german/ long
10020433	EKM-05 PS/2 german/ short
10020334	EKM-05 PS/2 US/ long
10020435	EKM-05 PS/2 US/ short
10020336	EKM-05 USB german/ long
10020437	EKM-05 USB german/ short
10020338	EKM-05 USB US/ short
10020439	EKM-05 USB US/ long
10020577	Option customized layout

Stainless steel keyboard EKM-07



e.G. US / Web-Layout

Overview

- vandal proof stainless steel keyboard with trackball (IK07)
- Modul with backside Threaded bolts for panel montage
- 79 Keys, function keys
- Touchpad 62,5 x 46,5mm
- PS/2 or USB
- Protective level IP65
- div. layouts available

Technical data

Mounting:

front side, Mounting via backside threaded bolts

Interfaces:

PS/2 or USB

Keys / Touchpad:

79 Keys, > Switch life: more than 3 Mio. Stainless steel laser engraved, Key travel: 2mm (Long travel) or 0,5mm (Short travel) Touchpad 62,5 x 46,5mm, MS-Mouse compatible

Environmental:

Operating: -10 - +60°C, Storage: -20 -+70°C


Protective class (front side):

IP65

Dimensions:

ca. 361 x 145 x 34mm / 1800g

Drawing



Part number

10020348	EKM-07 PS/2 german layout Long travel
10020349	EKM-07 PS/2 german layout Short travel
10020350	EKM-07 PS/2 US-layout Long travel
10020351	EKM-07 PS/2 US-layout Short travel
10020352	EKM-07 USB german layout Long travel
10020353	EKM-07 USB german aayout Short travel
10020354	EKM-07 USB US-layout Long travel
10020355	EKM-07 USB US-layout Short travel
10020577	Option Special layout

Stainless steel keyboard EKM-08



e.G. US Layout

Overview

- vandal proof stainless steel keyboard with trackball (IK07)
- Modul with backside Threaded bolts for panel montage
- 68 Keys
- Touchpad 62,5 x 46,5mm
- PS/2 or USB
- Protective level IP65
- div. layouts available

Technical data

Mounting:

front side, Mounting via backside threaded bolts

Interfaces:

PS/2 or USB

Keys / Touchpad:

68 Keys > Switch life: more than 3 Mio. Stainless steel laser engraved, Key travel: 2mm (Long travel) or 0,5mm (Short travel) Touchpad 62,5 x 46,5mm, MS-Mouse compatible

Environmental:

Operating: -10 - +60°C, Storage -20 -+70°C


Protective class (front side):

IP65

Dimensions:

ca. 361 x 125 x 34mm

Drawing



Part number

10020356	EKM-08 PS/2 german layout Long travel
10020357	EKM-08 PS/2 german layout Short travel
10020358	EKM-08 PS/2 US-layout Long travel
10020359	EKM-08 PS/2 US-layout Short travel
10020360	EKM-08 USB german layout Long travel
10020361	EKM-08 USB german layout Short travel
10020362	EKM-08 USB US-layout Langhub
10020363	EKM-08 USB US-layout Short travel
10020577	Option Special layout

Stainless steel keyboard EKB-03



e.g. US/Web Layout

Overview

- vandal-proof stainless steel keyboard with touchpad (IK07)
- Modul for backside mounting (Backpanel-montage)
- 69 Keys
- Touchpad 62,5 x 46,5mm
- Interfaces PS/2 or USB
- Protection Level: IP65
- div. layouts available

Technical data

Mounting:
backside, Mounting via holes

Interfaces:
PS/2 or USB


Keys / Touchpad:
69 Keys, Switch life: more than 3 Mio. Stainless steel laser engraved, Key travel: 2mm (Long travel) or 0,5mm (Short travel) Touchpad 62,5 x 46,5mm, MS-compatible mouse

Environmental:
Operating: -10 - +60°C, Storage: -20 -+70°C

Protective class (front panel)::
IP65

Dimensions:
ca. 343 (367) x 105 (129) x 34mm / 1600g

Drawing



Part number

10020420	EKB-03 PS/2 german layout Long travel
10020421	EKB-03 PS/2 german layout short travel
10020422	EKB-03 PS/2 US-layout Long travel
10020423	EKB-03 PS/2 US-layout Short travel
10020424	EKB-03 USB german layout Long travel
10020425	EKB-03 USB german layout Short travel
10020426	EKB-03 USB US-layout Long travel
10020427	EKB-03 USB US-layout Short travel
10020577	Option Special layout

Stainless steel keyboard EKB-04



e.G. DE / Web-Layout

Overview

- vandal-proof stainless steel keyboard with touchpad (IK07)
- Modul for backside mounting (Backpanel-montage)
- 69 Keys
- Touchpad 56 x 45mm
- Interfaces PS/2 or USB
- Protection Level: IP65
- div. Layouts available

Technical data

Mounting:
backside, Mounting via holes

Interfaces:
PS/2 or USB


Keys/ Touchpad:
69 Keys, Switch life: more than 3 Mio. Stainless steel laser engraved, Key travel: 2mm (Long travel)
Touchpad 56 x 45mm, MS-Mouse compatible

Environmental
Operating: -10 - +60°C, Storage: -20 -+70°C

Protective class (front panel)::
IP65

Dimensions:
ca. 392 (416) x 110 (134) x 34mm / 1700g

Drawing



Part number

10020428	EKB-04 PS/2 german layout Long travel
10020430	EKB-04 PS/2 US-layout Long travel
10020432	EKB-04 USB german layout Long travel
10020434	EKB-04 USB US-layout Long travel
10020577	Option Special layout

Stainless steel keyboard EKB-10



e.G. Russian / Web layout

Overview

- vandal-proof stainless steel keyboard with Touchpad (Ik07)
- Modul for backside mounting (Backpanel-Montage)
- 81 Keys, incl. numeric keypad
- Touchpad 62,5 x 46,5mm
- PS/2 or USB
- Protective class IP65
- div. Layouts available

Technical data

Mounting:

backside, mounting via holes

Interfaces:

PS/2 or USB

Keys / Touchpad:

81 Keys, > Switch life: more than 3 Mio. Stainless steel laser engraved, Key travel: 2mm (Long travel) or 0,5mm (Short travel) Touchpad 62,5 x 46,5mm, MS-Mouse compatible

Environmental:

Operating: -10 - +60°C, Storage: -20 -+70°C


Protective class (front panel):

IP65

Dimensions:

ca. 392 (416) x 110 (134) x 34mm / 2000g

Drawing



Part number

10020460	EKB-10 PS/2 german layout Long travel
10020461	EKB-10 PS/2 german layout Short travel
10020462	EKB-10 PS/2 US-layout Long travel
10020463	EKB-10 PS/2 US-layout Short travel
10020464	EKB-10 USB german layout Long travel
10020465	EKB-10 USB german layout Short travel
10020466	EKB-10 USB US-layout Long stroke
10020467	EKB-10 USB US-layout Short travel
10020577	Option Special layout