

Stainless steel keyboard EKM-09



e.G. US-Layout

Overview

- vandal proof stainless steel keyboard
- Modul with backside Threaded bolts for panel montage
- 95 Keys, function keys and numeric keypad
- Key travel 2mm or 0,5mm
- PS/2 or USB
- Protective level IP65
- div. layouts available

Technical data

Mounting:

front side, Mounting via backside threaded bolts

Interfaces:

PS/2 or USB

Keys:

95 Keys, > Switch life: more than 3 Mio. Stainless steel laser engraved, Key travel: 2mm (Long travel) or 0,5mm (Short travel)

Environmental:

Operating: -10 - +60°C, Storage: -20 -+70°C


Protective class (front side):

IP65

Dimensions:

ca. 340 x 145 x 34mm / 1700g

Drawing



Part number

10020364	EKM-09 PS/2 german layout Long travel
10020365	EKM-09 PS/2 german layout Short travel
10020366	EKM-09 PS/2 US-layout Long travel
10020367	EKM-09 PS/2 US-layout Short travel
10020368	EKM-09 USB german layout Long travel
10020369	EKM-09 USB german layout Short travel
10020370	EKM-09-USB US-layout Long travel
10020371	EKM-09 USB US-layout Short travel
10020577	Option Special layout

Stainless steel keyboard EKM-10



e.G. german layout

Overview

- vandal-proof stainless steel keyboard
- Modul with backside Threaded bolts for panel montage
- 64 Keys
- Key travel 2mm or 0,5mm
- PS/2 or USB
- Protective level: IP65
- div. layouts available

Technical data

Mounting:

front side, Mounting via backside threaded bolts

Interfaces:

PS/2 or USB

Keys:

64 Keys, > Switch life: more than 3 Mio. Stainless steel laser engraved, Key travel: 2mm (Long travel) or 0,5mm (Short travel)

Environmental:

Operating: -10 - +60°C, Storage: -20 -+70°C


Protective class (front side):

IP65

Dimensions:

ca. 290 x 125 x 20mm / 1300g

Drawing



Part number

10020372	EKM-10 PS/2 german layout Long travel
10020373	EKM-10 PS/2 german layout Short travel
10020374	EKM-10 PS/2 US-layout Long travel
10020375	EKM-10 PS/2 US-layout Short travel
10020376	EKM-10 USB german layout Long travel
10020377	EKM-10 USB german layout Short travel
10020378	EKM-10 USB US-layout Long travel
10020379	EKM-10 USB US-layout Short travel
10020577	Option Special layout



- vandal-proof stainless steel keyboard
- Modul with backside Threaded bolts for panel mounting
- 77 Keys, function keys
- Key travel 2mm or 0,5mm
- PS/2 or USB
- Protective class IP65
- div. layouts available

front side, Mounting via backside threaded bolts


PS/2 or USB

77 Keys > Switch life: more than 3 Mio. Stainless steel laser engraved, Key travel: 2mm (Long travel) or 0,5mm (Short travel)

Operating: -10 - +60°C, Storage: -20 -+70°C

IP65

ca. 290 x 145 x 34mm / 1400g



10020380	EKM-11 PS/2 german layout Long travel
10020381	EKM-11 PS/2 german layout Short travel
10020382	EKM-11 PS/2 US-layout Long travel
10020383	EKM-11 PS/2 US-layout Short travel
10020384	EKM-11 USB german layout Long travel
10020385	EKM-11 USB german layout Short travel
10020386	EKM-11 USB US-layout Long travel
10020387	EKM-11 USB US-layout Short travel
10020577	Option Special layout

Stainless steel keyboard EKM-13



e.G. US / Web-Layout

Overview

- vandal proof stainless steel keyboard
- Modul with backside Threaded bolts for panel montage
- 79 Keys, numeric keypad
- Key travel 2mm or 0,5mm
- PS/2 or USB
- Protective level IP65
- div. layouts available

Technical data

Mounting:

front side, Mounting via backside threaded bolts

Interfaces:

PS/2 or USB

Keys:

79 Keys, > Switch life: more than 3 Mio. Stainless steel laser engraved, Key travel: 2mm (Long travel) or 0,5mm (Short travel)

Environmental:

Operating: -10 - +60°C, Storage: -20 -+70°C


Protective class (front side):

IP65

Dimensions:

ca. 340 x 125 x 20mm / 1600g

Drawing



Part number

10020396	EKM-13 PS/2 german layout Long travel
10020397	EKM-13 PS/2 german layout Short travel
10020398	EKM-13 PS/2 US-layout Long travel
10020399	EKM-13 PS/2 US-layout Short travel
10020400	EKM-13 USB german layout Long travel
10020401	EKM-13 USB german layout Short travel
10020402	EKM-13 USB US-layout Long travel
10020403	EKM-13 USB US-layout Short travel
10020577	Option special layout

Stainless Steel Keyboard EKB-05



e.G. US / Web-Layout

Overview

- Vandal-proof stainless steel keyboard (Ik07)
- Modul for backside mounting (Backpanel-montage)
- 79 keys with integrated numeric keypad
- PS/2 or USB
- Protective class IP65
- div. layouts available

Technical data

Mounting:

Backside, Mounting via holes

Interfaces

PS/2 or USB

Keys:

79 Keys, Switch life: more than 3 Mio. Stainless steel laser engraved, Key travel: 2mm (Long travel) or 0,5mm (Short travel)

Environmental:

Operating: -10 - +60°C, Storage: -20 -+70°C


Protective class (front panel):

IP65

Dimensions:

ca. 320 (344) x 105 (129) x 20mm / 1600g

Drawing



Part number

10020436	EKB-05 PS/2 german layout Long travel
10020437	EKB-05 PS/2 german layout Short travel
10020438	EKB-05 PS/2 US-layout Long travel
10020439	EKB-05 PS/2 US-layout Short travel
10020440	EKB-05 USB german layout Long travel
10020441	EKB-05 USB german layout Short travel
10020442	EKB-05 USB US-layout Long travel
10020443	EKB-05 USB US-layout Short travel
10020577	Option Special layout

Stainless steel keyboard EKB-07



Overview

- vandal-proof stainless steel keyboard (IK07)
- Modul for backside mounting (Backpanel-Montage)
- 68 Keys
- PS/2 or USB
- Protective class IP65
- div. layouts available

Technical data

Mounting:

backside, mounting via holes

Interfaces:

PS/2 or USB

Keys:

68 Keys >Switch life: more than 3 Mio. Stainless steel laser engraved, Key travel: 2mm (Long travel) or 0,5mm (Short travel)

Environmental:

Operating: -10 - +60°C, Storage: -20 -+70°C


Protective class (front panel):

IP65

Dimension:

ca. 272 (296) x 105 (129) x 20mm / 1200g

Drawing



Part number

10020444	EKB-07 PS/2 german layout Long travel
10020445	EKB-07 PS/2 german layout Short travel
10020446	EKB-07 PS/2 US-layout Long stroke
10020447	EKB-07 PS/2 US-layout Short travel
10020448	EKB-07 USB german layout Long travel
10020449	EKB-07 USB german layout Short travel
10020450	EKB-07 USB US-layout Long travel
10020451	EKB-07 USB US-layout Short travel
10020577	Option Special layout

Stainless steel keyboard EKB-08



e.G. US/Web Layout

Overview

- vandal-proof stainless steel keyboard with trackball (IK07)
- Modul for backside mounting (Backpanel-montage)
- 64 Keys
- Interfaces PS/2 or USB
- Protection Level: IP65 (front panel)
- div. layouts available

Technical data

Mounting:

backside, Mounting via holes

Interfaces:

PS/2 or USB

Keys/ Trackball:

64 Keys, Switch life: more than 3 Mio. Stainless steel laser engraved, Key travel: 2mm (Long travel) or 0,5mm (Short travel), stainless steel

Environmental:

Operating: -10 - +60°C, Storage: -20 -+70°C


Protective class (front panel):

IP65 static,

Dimensions:

ca. 300 (324) x 110 (134) x 20mm / 1200g

Drawing



Part number

10020452	EKB-08 PS/2 german layout Long travel
10020453	EKB-08 PS/2 german layout Short travel
10020454	EKB-08 PS/2 US-layout Long travel
10020455	EKB-08 PS/2 US-layout Short travel
10020456	EKB-08 USB german layout Long travel
10020457	EKB-08 USB german layout Short travel
10020458	EKB-08 USB US-layout Long travel
10020459	EKB-08 USB US-layout Short travel
10020577	Option Special layout